



Asian Institute of Technology  
ELECTRONIC DOCUMENTATION FORM

Type: *Thesis*

1. Title: *Use of Geospatial Technologies in the Assessment of Coral Reefs and Abalone Distribution in Sagay Marine Reserve, Central Philippines*
2. Author: Armi May M. Torrechilla
3. Name(s) of Advisor and Committee Members: Dr. Nitin K. Tripathi, Dr. Wenresti G. Gallardo, Dr. Kou Ikejima & Dr. Taravudh Tipdecho
4. School: *School of Engineering and Technology*
5. Field of Study: Remote Sensing and GIS
6. External Examiner (*NA*)
7. Expert Comments on the Work and Facility for the Feedback from the Users
8. Abstract of the Work

The main objective of this research is to assess the status of coral reefs and the abundance of abalone in Sagay marine reserve that would serve as baseline information for the local government of Sagay, Negros Occidental, Philippines. To achieve this, benthic maps (coming from the July 2005 atmospherically and geometrically corrected Aster image) were produced from which geospatial technologies as remote sensing, GIS and GPS were used as primary tools to produce the benthic habitat maps. These maps were classified with the aid of image processing techniques such as band ratio, principal component analysis and water column correction algorithm. Groundtruth and results from the multivariate classification of the field data were used as training area for the classification of the satellite image and that 8 different habitat types were successfully identified. Post classification and contextual editing produced a final output of an image accuracy of 58.71%.

Reef habitat map showing 4 different zones ranging from very good to damaged zone were produced using the ratio of live and dead corals based on the criteria developed by Thailand's PMBC.

Most of the abalones prefer habitats of dead corals with algae and rubble-algae zones. Furthermore, finding for the potential suitable sites for the abalone was done by

considering the factors on habitat type, depth and SST data. Also, one premise can be inferred in that a preferred habitat can only be an area to have been known by the abalone to reside on.

9. Keywords (*minimum 5; maximum 10*)

*benthic map, coral reefs, abalone, geospatial technologies, remote sensing, GIS*

10. References

Abrams, M. and Simon, H. Aster User Handbook, Version 2. Jet Propulsion Laboratory, 4800 Oak Grove Dr., Pasadena, California.

Andrefouet, S. and Robinson, J.A., 2003. The use of Space Shuttle images to improve cloud detection in mapping of tropical coral reef environments. *International Journal of Remote Sensing*, 24, 1: 143-149.

Andrefouet, S., Muller-Karger, F.E., Hochberg, E.J., Hua, C. and Cardera, K., 2001. Change detection in shallow coral reef environments using Landsat 7 ETM+ data. *Remote Sensing of Environment*, 78: 150– 162.

Andrefouet, S., Kramer, P., Torres-Pulliza, I., Joyce, K.E., Hochberg, E.J., Garza-Pérez, R., Mumby, P.J., Riegl, B., Yamano, H., White, W.H., Zubia, M., Brock, J.C., Phinn, S.R., Naseer, A., Harcher, B.G. and Muller-Karger, F.E., 2003. Multi-site evaluation of IKONOS data for classification of tropical coral reef environments. *Remote Sensing of Environment*, 88:128–143

Andrefouet, S. and Claereboudt, M., 2000. Objective class definitions using correlation of similarities between remotely sensed and environmental data. *International Journal of Remote Sensing*, 21, 9: 1925–1930.

Aronoff, S., 1994. Geographic Information Systems: A Management Perspective. WDL Publication, Ottawa, Canada.

Arvidson, T., Gasch, J. and Goward, S.N., 2001. Landsat 7's long-term acquisition plan — an innovative approach to building a global imagery archive. *Remote Sensing of Environment*, 78:13– 26.

Awosika, L. and Marone, E., 2000. Scientific needs to assess the health of the oceans in coastal areas: a perspective of developing countries. *Ocean & Coastal Management*, 43: 81-791

Bakran-Petricioli, T., Antoni, O., Bukovec, D., Petricioli, D., Janekovi, I., Krizan, J., Kušan, V. and Dujmović, S., 2006. Modelling spatial distribution of the Croatian marine benthic habitats. *Ecological Modelling*, 191: 96–105.

Basher, Zeenatul, Md. 2006. Benthic Habitat Mapping using Remote Sensing

and GIS and Assessment of Carrying Capacity of a Marine Park. Masters research study no. SR. 06-x, Asian Institute of Technology, 2006. Bangkok: Asian Institute of Technology.

Bello-Pineda, J., Ponce-Hernandez and Liceaga-Correa<sup>2</sup>, M.A., 2006. Incorporating GIS and MCE for Suitability Assessment Modelling of Coral Reef Resources. *Environmental Monitoring and Assessment*, DOI: 10.1007/s10661-006-4628.

Bello-Pineda, J., Liceaga-Correa, M.A., Hernandez, H., Ponce-Hernandez, R., 2005. Using Aerial Video to Train the Supervised Classification of LandsatTM Imagery for Coral Reef Habitats Mapping. *Environmental Monitoring and Assessment*, 105: 145-164.

Best, Barbara A., Pomeroy, R.S. and Balboa, C.M., 2002. Implications for Coral Reef Management and Policy: Relevant Findings from the 9<sup>th</sup> International Coral Reef Symposium.

Brown, B.E., Howard, L.S., 1985. Assessing the Effects of "Stress" on Reef Corals. *Advance Maine Biology*, 22:1-63.

Brown, C.J., Cooper, K.M., Meadow, W.J., Limpenn, D.S. and Ress, H.L., 2002. Small-scale Mapping of Sea-bed Assemblages in the Eastern English Channel Using Sidescan Sonar and Remote Sampling Techniques. *Estuarine, Coastal and Shelf Science*, 54: 263-278

Bureau of the Census and Statistics (BCS), 1972. Foreign Trade statistics of the Philippines. BCS, Manila, Philippines.

Burrough, P.A., 1987. Principles of Geographical Information Systems for Land Resources Assessment. Oxford University Press, Oxford, UK.

Call, K.A., Hardy, J.T. and Wallin, D. O., 2003. Coral reef habitat discrimination using multivariate spectral analysis and satellite remote sensing. *International Journal of Remote Sensing*, 24,13: 2627-2639.

Cannizaro, J.P., and Carder, K.L., 2006. Estimating chlorophyll a concentrations from remote-sensing reflectance in optically shallow waters. *Remote Sensing of Environment*, Article in Press.

Caron, P., 2002. An Evaluation of the use of Landsat 7 ETM+ satellite imagery for the qualitative habitat mapping of the Sagay Marine Reserve, Negros, The Philippines. (Masters Thesis, School of Ocean Sciences, University of Wales).

Carpenter, E.K. and Springer, V.G., 2005. The center of the center of marine

shore fish biodiversity: the Philippine Islands. *Environmental Biology of Fishes*, 72:467-480).

City Government of Sagay (1999), City Development Strategy. Final Report.

Cuevaz-Jimenez, A., Ardisson, P.L., and Condal, A.R., 2002. Mapping of shallow coral reefs by colour aerial photography. *International Journal of Remote Sensing*, 23, 18: 3697–3712.

Cuong, P.M., 1998. Sustainable Coastal Zone Management using Remote Sensing and GIS: A case study in Hai Phong Coastal Area, Vietnam. (Masters research study no. SR. 98-16, Asian Institute of Technology), 1998. Bangkok: Asian Institute of Technology.

Dekker, A.G., Brando, V.E. and Anstee, J.M., 2005. Retrospective seagrass change detection in a shallow coastal tidal Australian lake. *Remote Sensing of Environment*, 97: 415 – 433.

Department of Environment and Natural Resources, Bureau of Fisheries and Aquatic Resources of the Department of Agriculture, and Department of the Interior and Local Government. 2001. Philippine Coastal Management Guidebook. Coastal Resource Management Project of the Department of Environment and Natural Resources, Cebu City, Philippines.

Diaza, R.J., Solanb, M. and Valente, R.M., 2004. A review of approaches for classifying benthic habitats and evaluating habitat quality. *Journal of Environmental Management*, 3:165–181.

Douven, W.J.A.M, Buurman, J.J.G. and Kiswara, W., 2003. Spatial information for coastal zone management: the example of the Banten Bay seagrass ecosystem, Indonesia. *Ocean & Coastal Management*, 46: 615–634.

Editorial, 2005. Earth observation methods for habitat mapping and spatial indicators for nature conservation in Europe. *Journal for Nature Conservation*, 13:69—73.

English, S.M., Wilkinson, C., and Baker, V., 1997. Survey Manual for Tropical Marine Resources, 2<sup>nd</sup> Edition. Australian Institute of Marine Science. Townsville.

Environmental Research System Institute (ESRI), 1991. PC ARC/INFO Manual Books. Redland, California, USA.

Freitas, R., Rodrigues, A.M. and Quintino, V., 2003. Benthic biotopes remote sensing using acoustics. *Journal of Experimental Marine Biology and Ecology*, 285–286, 339– 353.

Green, E.P., Mumby, P.J., Edwards, A.J. and Clark, C.D., 1996. A Review of Remote Sensing for the Assessment and Management of Tropical Coastal Resources. *Coastal Management*, 24: 1-40.

Green, E.P., Peter J.M., Alasdair, J.E. and C.D. Clark, 2000. Remote Sensing Handbook for Tropical Coastal Management. 316p

Guenther, G.C., Brooks, M.W. and LaRoque, P.E., 2000. New Capabilities of the "SHOALS" Airborne Lidar Bathymeter. *Remote Sensing of Environment*, 73:247-255.

Hedley, J.D., Harbone, A.R. and Mumby, P.J. 2005. Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26, 10: 2107-2112.

Hodgson, G., 1997. *Reef Check Core Methods*. Internet Website address. ([www.reefcheck.org](http://www.reefcheck.org))

Holden, H. and LeDrew, E., 2002. Measuring and modeling water column effects on Hyperspectral reflectance in a coral reef environment. *Remote Sensing of Environment*, 81:300- 308.

Holden, H. and LeDrew, E., 1998. Spectral Discrimination of Healthy and Non-Healthy Corals Based on Cluster Analysis, Principal Components Analysis, and Derivative spectroscopy. *Remote Sensing of Environment*, 65:217-224.

Hochberg, E.J., and Atkinson, M.J., 2003. Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra. *Remote Sensing of Environment*, 85: 174-189.

Hochberg, E.J., Atkinson, M.J, and Andrefouet, S., 2003. Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing. *Remote Sensing of Environment*, 85: 159-173

Honda, K., Lecture Notes on Remote Sensing. Asian Institute of Technology, Thailand.

Hu, C., Muller-Karger, F.E., Andrefouet, S. and Carder, K.L., 2001. Atmospheric correction and cross-calibration of LANDSAT-7/ETM+ imagery over aquatic environments: A multiplatform approach using SeaWiFS/MODIS. *Remote Sensing of Environment*, 78: 99- 107.

Imron, Jeffrey, B., Hale, P., Degnan, M.B., and Degnan, S.M., 2007. Pleistocene isolation and recent geneflow in *Haliotis asinina*, an Indo-Pacific

vetigastropod with limited dispersal capacity. *Molecular Ecology*, 16:289-304

Irish, J.L. and White, T.E., 1998. Coastal engineering applications of high-resolution lidar bathymetry. *Coastal Engineering*, 35:47-71.

Jarayabhand, P. and N. Paphavasit. 1996. A review of the culture of tropical abalone with special reference to Thailand. *Aquaculture*, 140: 159-168.

Kendall, M.S., Buja, K.R., Christensen, J.D., Kruer, C.R. and Monaco, M.E., 2004. The seascape approach to coral ecosystem mapping: an integral component of understanding the habitat utilization patterns of reef fish. *Bulletin of Marine Science*, 75, 2: 225-237.

Knight, D., LeDrew, E. and Holden, H., 1997. Mapping submerged corals in Fiji from remote sensing and *in situ* measurements: applications for integrated coastal management. *Ocean & Coastal Management*, 34, 2: 153-170.

Kutser, T., Vahtma, E. and Martin, G., 2006. Assessing suitability of multispectral satellites for mapping benthic macroalgal cover in turbid coastal waters by means of model simulations. *Estuarine, Coastal and Shelf Science*, xx 1e9.

LeDrew, E., Holden, H., Wulderc, M.A., Derksen, C., and Newman, C., 2004. A spatial statistical operator applied to multivariate satellite imagery for identification of coral reef stress. *Remote Sensing of Environment*, 91: 271-279.

Legleitara, C.J. and Roberts, D.A., 2005. Effects of channel morphology and sensor spatial resolution on image-derived depth estimates. *Remote Sensing of Environment*, 95: 231-247.

Liceaga-Correa, M.A, and Euan-Avila, J.I., 2002. Assessment of coral reef bathymetric mapping using visible Landsat Thematic Mapper data. *International Journal of Remote Sensing*, 23, 1, 3-14.

Lillesand, T.M., Kiefer, R.W., 1994. Remote Sensing and Image Interpretation. Third Edition. John Wiley & Sons, New York, USA.

Lubin, D., Li, W., Dustan, P., Mazel C.H. and Stamnes, K., 2001. Spectral Signatures of Coral Reefs: Features from Space. *Remote Sensing of Environment*, 75:127-137.

Maliao, R.J., Webb, Edward, L. and Jensen Kathe, R., 2004. A survey of stock of the donkey's ear abalone, *Haliotis asinine* L. in the Sagay Marine Reserve, Philippines: evaluating the effectiveness of marine protected area enforcement. *Fisheries Research*, 66: 343-353.

MacQueen, J. B. 1967. Some Methods for classification and Analysis of Multivariate Observations, *Proceedings of 5-th Berkeley Symposium on Mathematical Statistics and Probability*, Berkeley, University of California Press, 1:281-297

McDermid, G.J., Franklin, S.E. and LeDrew, E.F., 2005. Remote sensing for large-area habitat mapping. *Progress in Physical Geography*, 29, 4: 449-474.

Miller, R.L. and Cruise, J.F., 1995. Effects of Suspended Sediments on Coral Growth: Evidence from Remote Sensing and Hydrologic Modeling. *Remote Sensing and Environment*, 53:177-187.

Moberg, F. and Ronnback, P. 2003., Ecosystem Services of the Tropical Seascape: Interactions, Substitutions and Restoration. *Ocean & Coastal Management*. 46: 27-46.

Mumby, P.J. and Harborne A.R., 1999. Development of a systematic classification scheme of marine habitats to facilitate regional management and mapping of Caribbean coral reefs. *Biological Conservation*, 88: 155-163.

Mumby, P.J. and Edwards, A.J., 2002. Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy. *Remote Sensing of Environment*, 82:248-257.

Mumby, P.J, Green, E.P., Edwards, A.J. and Clark, C.D., 1999. The cost-effectiveness of remote sensing for tropical coastal resources assessment and management. *Journal of Environmental Management*, 55: 157-166

Murphy, R.J., Tolhurst, T.J., Chapman, M.G. and Underwood, A.J., 2005. Remote-sensing of benthic chlorophyll: should ground-truth data be expressed in units of area or mass? *Journal of Experimental Marine Biology and Ecology*, 316: 69-77.

Ninsawat, S., 2002. Mapping Coral Reefs of PhiPhi Island Using Remote Sensing and GIS for Integrated Coastal Zone Management. (Masters research study no. SR. 02-8, Asian Institute of Technology, 2002). Bangkok: Asian Institute of Technology.

Pasqualini, V., Pergent-Martini, C., Pergent, G., Agreila, M., Skoufas, G., Sourbes, L. and Tsiridka, A., 2005. Use of SPOT 5 for mapping seagrasses: An application to *Posidonia oceanica*. *Remote Sensing of Environment*, 94: 39-45.

Pulliza, D.T., 2004. A multi-sensor comparison for coral reef habitat mapping: a case study using a tropical patch reef environment in Biscayne National Park,

Florida. (Masters Thesis, University of Puerto Rico, Mayaguez Campus).

Purkis, S.J., Myint, S.W. and Riegl, B.M., 2005. Enhanced detection of the coral *Acropora cervicornis* from satellite imagery using a textural operator. *Remote Sensing of Environment* (ARTICLE IN PRESS)

Radiarta, I N., 2002. Delineation of Coral Reef Habitat using Remotely Sensed Data and GIS. (Masters research study no. SR. 02-1, Asian Institute of Technology, 2002). Bangkok: Asian Institute of Technology.

Riegl, B.M. and Purkis, S.J., 2005. Detection of shallow subtidal corals from IKONOS satellite and QTC View (50, 200 kHz) single-beam sonar data (Arabian Gulf; Dubai, UAE). *Remote Sensing of Environment*, 95: 96– 114

Rodriguez, S. *et al.* 2001. A Public-Access GIS-Based Model of Potential Species Habitat Distribution for the Santa Barbara Channel and the Channel Islands National Marine Sanctuary. (Group Project Report, 2001, Master of Environmental Science and Management for the Donald Bren School of Environmental Science and Management).

Schott, J.R., Barsi, J.A., Nordgren, B.L., Raqueno, N.G., and de Alwis, D. 2001. Calibration of Landsat thermal data and application to water resource studies. *Remote Sensing of Environment*, 78: 108–117.

Singhagraiwan, T. and M. Doi, 1993. Seed production and culture of tropical abalone, *Haliotis asinina* Linne. Eastern Marine Fisheries Development Center (EMDEC), Department of Fisheries, Bangkok, Thailand and Japan International Cooperation Agency (JICA).

Smith, V.E., Rogers, R.H. and Reed, L.E., 1975. Automated mapping and inventory of Great Barrier Reef Zonation with Landsat data. Ocean 75 conference record. Institute of Electrical and Electronics Engineers, Inc. New York.

SEADEC Aquaculture Department, 2002. Assessment of the coastal resources of Sagay marine reserve, Negros Occidental – Initial Report.

Straina, P.M. and MacDonald, R.W., 2002. Design and implementation of a program to monitor ocean health. *Ocean & Coastal Management*, 45: 325–355.

Tegner, M. J., 1992. Brood-stock transplants as an approach to abalone stock enhancement. In: S. Shepard and M. Tegner, eds. Proceedings of the First International Abalone Symposium: Biology, Fisheries, and Culture. La Paz, Mexico. Blackwells Scientific Publications Ltd., Sydney.



Urbanski, J.A. and Szymelfenig, M., 2003. GIS-based mapping of benthic habitats. *Estuarine, Coastal and Shelf Science*, 56:99–109.

Van der Wal, D., Herman, P.M.J., Wilemaker-van den Dool, A., 2005. Characterisation of surface roughness and sediment texture of intertidal flats using ERS SAR imagery. *Remote Sensing of Environment*, 98: 96 – 109.

White, W.H., Harborne, A.R., Sotheran, I.S., Walton, R. and Foster-Smith, R.L., 2003. Using an Acoustic Ground Discrimination System to map coral reef benthic classes. *International Journal of Remote Sensing*, 24, 13: 2641-2660.

White, W.H., Harborne, A.H. Sotheran, I.S., Walton, R. and Foster-Smith, R.L., 2003. Using an Acoustic Ground Discrimination System to map coral reef benthic classes. *International Journal of Remote Sensing*, 24, 13: 2641–2660

Yap, H. T., 2000. The case for restoration of Tropical Coastal Ecosystems. *Ocean & Coastal Management*, 43: 841-851.

Yamano, H. and Tamura M., 2004. Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis. *Remote Sensing of Environment*, 90: 86–103.

Online websites:

[www.noaa.gov](http://www.noaa.gov)

[www.csc.noaa.gov](http://www.csc.noaa.gov)

[www.coastal.crc.org.au](http://www.coastal.crc.org.au)

<http://www.solcomhouse.com/coralreef.htm>

[http://en.wikipedia.org/wiki/Coral\\_reef](http://en.wikipedia.org/wiki/Coral_reef)

<http://www.reefbase.org>

<http://coastal.er.usgs.gov>

<http://www.unesco.org>

<http://www.pac.dfo-mpo.gc.ca>

[www.sagay-city.com.ph](http://www.sagay-city.com.ph)

[www.esri.com](http://www.esri.com)

SMR slide pptn

Abalone pptn c/o Dr. Wenresti Gallardo

11. Type of Project (*Sponsored*)

12. Specific Agreement involved in the Sponsorship Agreement, if applicable

The requested details above have to be submitted in a single PDF file to the library at [edf@ait.ac.th](mailto:edf@ait.ac.th).